## **F&T LIVESTOCK MARKET** FTL VAC

## VALUE ADDED HERD HEALTH PROGRAM



Calves must be given two rounds of shots with the second round given 2-5 weeks after the first round, modified-live vaccine is required for the second round. Calves must be dewormed, dehorned and bulls castrated (knife preferred). FTL-VAC calves must be weaned minimum of 45 days.

Clostridial (Blackleg)  Mannheimia (Pasteurella) Haemolytica  Parasite Control  Dewormer- one application  Implant optional  Castrated	Date: Brand:  Date: Brand:  Date: Brand:	Brand:
Mannheimia (Pasteurella) Haemolytica Parasite Control  Dewormer- one application Implant optional Castrated	Brand:  Date:  Date:	Brand: Date:
Haemolytica  Parasite Control  Dewormer- one application  Implant  optional  Castrated	Brand: Date:	
Dewormer- one application  Implant  optional  Castrated	Brand: Date:	
optional Castrated		
	Brand:	
Knife cut preferred	Date:# Method:	
Dehorned	Date:	
Weaned	Date:	
	FTL-VAC	
I CERTIFY THAT ALL PRODUCT	TS WERE ADMINISTERED ACCORDING	TO BQA GUIDELINES
Producers Name:		- -
State: Zij	p Code:	· -
	et FTL VAC requirements and products have at the information on this form is true and a	been or will be administered according to la accurate. Signature of either OWNER or
ature Owner OR Veterinarian		Date











